



## medifa 3000

Mobile functional furniture for OR,  
outpatient department and doctor's practice



we care.



Our mobile functional furniture provides safety and high quality in every respect. The range contains a variety of clever, mobile assistants for all functional areas of a clinic.

There is a focus on flexibility and hygiene in all of the products, whether they are furniture, seating or equipment. All of the furniture is made of stainless steel and thus corrosion-resistant, resistant to disinfectants, hygienic and easy to care for - throughout its entire service life.

**Your advantages at a glance**

- All products of the medifa 3000 series are made of ground stainless steel and have a very fine and hygienic surface.
- Manoeuvrable synthetic antistatic double castors ensure optimum mobility and are abrasion-resistant, non-discolouring and corrosion-resistant.
- High level of stability.
- The electrically conductive design of all relevant parts prevents static charging.
- Reliable service.

<b>CONTENT</b>	<b>PAGE</b>
Mayo instrument tables .....	4
OR swivel chairs and OR stools.....	6
Instrument trolleys .....	8
Functional furniture.....	10
Examination couches .....	12
Mobile stools.....	14
Upholstery colours .....	16
Further products for the OR .....	17

# Mayo instrument tables



**Hydraulic pump mayo instrument table  
Art.-no. 361061**

- Mobile 3-leg construction made of stainless steel
- Large table top made of stainless steel, with rounded corners and edges, 360° rotatable and lockable
- With height adjustment from 900 to 1,300 mm via hydraulic pump
- 3 double swivel castors  $\varnothing$  65 mm, 2 of them electrically conductive and with brake
- Max. load: 30 kg
- Dimensions: 740 x 540 x 900 mm



**Mayo instrument table,  
gas spring assisted  
Art.-no. 361043**

- Mobile 4-leg construction made of stainless steel
- Stable table top made of stainless steel, 740 x 500 mm
- Gas spring assisted height adjustment from 910 to 1,320 mm
- 4 electrically conductive double swivel castors  $\varnothing$  75 mm with brakes
- Max. load: 30 kg
- Dimensions: 740 x 500 x 910 mm



**Manual mayo instrument table  
Art.-no. 361042**

- Mobile 4-leg construction made of stainless steel
- Stable table top made of stainless steel, 620 x 420 mm
- Manual height adjustment from 740 to 1,080 mm
- 4 electrically conductive double swivel castors  $\varnothing$  75 mm with brake
- Max. load: 30 kg
- Dimensions: 620 x 480 x 740 mm



**A handle on safety**

It is very important to us to meet special requirements in the OR. The products of medifa 3000 therefore stand for maximum functionality and optimum hygiene conditions.

# OR swivel chairs and OR stools



## Basic configuration: OR swivel chairs

- Mobile five-castor construction made of stainless steel with central brake
- Infinitely variable height adjustment from 600 to 860 mm by foot bar
- Upholstery: Black, electrically conductive, thickness 70 mm
- 5 double swivel castors  $\varnothing$  65 mm, 2 of them are electrically conductive
- Max. load: 140 kg

## OR swivel chair with round seat Art.-no. 366016

- Round seat with  $\varnothing$  360 mm

## OR swivel chair with round seat and backrest Art.-no. 366011

- Round seat with  $\varnothing$  360 mm
- With adjustable backrest

## OR swivel chair with saddle seat Art.-no. 366026

- Saddle seat with  $\varnothing$  420 mm

## OR swivel chair with saddle seat and backrest Art.-no. 366021

- Saddle seat with  $\varnothing$  420 mm
- With adjustable backrest

## Basic configuration: OR stools

- Five-armed base made of stainless steel
- With precision spindle height adjustment
- Round seat with  $\varnothing$  360 mm, thickness 60 mm and black, electrically conductive artificial leather covering
- Max. load: 140 kg
- Dimensions: 600 x 510 / 710 mm

## Mobile OR stool Art.-no. 366080

- With 5 electrically conductive double swivel castors  $\varnothing$  50 mm
- Height adjustment from 515 up to 660 mm

## OR stool with feet Art.-no. 366050

- With 5 floor glides, 2 of them are electrically conductive
- Height adjustment from 450 up to 595 mm

# Instrument trolleys



## Basic configuration: Instrument table

- Mobile, jointless square tube frame construction made of stainless steel 25 x 25 mm, cross braces 30 x 20 mm
- Tube frame designed as a protective railing, top and bottom with removable stainless steel table tops
- Max. load: 20 kg per table top
- 4 abrasion-resistant, non contact-staining, corrosion-resistant antistatic double castors  $\varnothing$  75 mm, 2 of them can be locked

## Instrument table Art.-no. 391075

- Dimensions (W x D x H): 650 x 500 x 800 mm

## Instrument table Art.-no. 391275

- Dimensions (W x D x H): 750 x 650 x 800 mm

## Instrument table Art.-no. 391475

- Dimensions (W x D x H): 950 x 650 x 800 mm

## 1. Storage bowl squared

### Art.-no. 391043

- Made of stainless steel
- Dimensions (L x W): 235 x 195 mm
- Incl. clamp

## 2. Stainless steel bowl $\varnothing$ 180 mm

### Art.-no. 391044

- Made of stainless steel
- Incl. clamp

## Stainless steel bowl $\varnothing$ 270 mm

### Art.-no. 391046

- Made of stainless steel
- Incl. clamp

## 3. Instruments-drop

### Art.-no. 391050

- With slotted lid
- Dimensions (L x W x H): 300 x 230 x 130 mm
- Incl. clamp

## 4. Discarding device

### Art.-no. 391100

- With 10 spare-boxes
- Incl. clamp



1



2



3



4



## Hand and arm surgery table

**Art.-no. 361045**

- Mobile 4-leg construction made of stainless steel
- Radiolucent and tiltable table top, 450 x 450 mm
- Manually height adjustable from 650 up to 930 mm
- 4 electrically conductive double swivel castors  $\varnothing$  75 mm with brakes
- Max. load: 15 kg
- Dimensions: 450 x 450 x 650 / 930 mm

## Upholstery for hand and arm surgery table

**Art.-no. 361046**

- Artificial leather covered foam, H = 20 mm, black, electrically conductive, with velcro strap

## Bowl stand single

**Art.-no. 363010**

- Made of stainless steel
- Five armed footbase with double castors  $\varnothing$  50 mm, two of them are electrically conductive and with brake
- With one stainless steel bowl (6L /  $\varnothing$  = 340 mm)
- Dimensions: 580 x 580 x 800 mm

## Bowl stand double

**Art.-no. 363020**

- Same as 363010, but with two stainless steel bowls (6L /  $\varnothing$  = 340 mm)

## Bowl

**Art.-no. 363030**

- Made of stainless steel (6L /  $\varnothing$  = 340 mm)
- For bowl stands 363010 and 363020

## Mobile infusion stand standard

**Art.-no. 365010**

- Height adjustable from 1,250 - 2,100 mm via screw mechanism
- Screwed footbase made of stainless steel tube 30 x 20 mm with 5 double swivel castors  $\varnothing$  50 mm, 2 of them are electrically conductive and with brake
- High-grade bottle holder with 4 welded safety bottle hooks incl. glass holder and drip collecting vessel
- Load capacity per hook: 2 kg

## Mobile infusion stand premium

**Art.-no. 365015**

- Same as item 365010, but with
- One-hand height adjustment
  - Seamlessly welded footbase made of stainless steel tube 40 x 20 mm
  - 5 double swivel castors  $\varnothing$  65 mm, 2 of them are electrically conductive and with brake

## Bucket stand

**Art.-no. 364010**

- With bucket 15 litres
- Made of stainless steel
- 4 double castors  $\varnothing$  65 mm, two of them electrically conductive and with brake
- With bumper ring
- Dimensions ( $\varnothing$  x H): 420 x 400 mm

## Bucket stand with push handle

**Art.-no. 364020**

- Same as 364010, but with
- push handle
  - dimensions ( $\varnothing$  x H): 420 x 400 mm (push handle H= 860 mm)

## Lid for bucket stand

**Art.-no. 364030**

- For stainless steel bucket (15 litres)

## OR step stool single, H= 130 mm

**Art.-no. 365510**

- Removable tread made of stainless steel with anti-slip surface
- 4 electrically conductive floor glides
- Max. load: 135 kg
- Dimensions (L x D x H): 600 x 350 x 130 mm

## OR step stool single, H= 220 mm

**Art.-no. 365520**

- Same as 365510, but with H = 220 mm

## OR step stool single, H= 300 mm

**Art.-no. 365530**

- Same as 365510, but with H = 300 mm

## OR step stool double

**Art.-no. 365540**

- Same as 365510, but with two steps and dimensions (L x D x H): 600 x 650 x 230 / 440 mm

## Step stool, H= 230 mm

**Art.-no. 84400**

- Removable tread with anti-slip surface
- Powder coated, white (RAL 9010)
- Max. load: 135 kg
- Dimensions (L x D x H): 470 x 275 x 230 mm

## Step stool double

**Art.-no. 84420**

- Same as 84400, but with two steps and dimensions (L x D x H): 470 x 550 x 230 / 425 mm



**Basic configuration: Examination couch**

- Stable 4-foot design made of powder coated steel sheet 30 x 30 mm
- Adjustable head section up to +35°
- Upholstery: Artificial leather covered foam, height = 50 mm
- With spacers between upholstery and frame
- Incl. paper roll holder stick
- With four synthetic floor glides
- Dimensions: 1,950 x 650 x 650 mm
- Max. load: 225 kg



**Basic configuration: Examination couch made of stainless steel**

- Stable 4-foot design made of stainless steel 30 x 30 mm
- Adjustable head section up to +35°
- Upholstery: Artificial leather covered foam, height = 70 mm
- With spacers between upholstery and frame
- Incl. paper roll holder stick
- With four synthetic floor glides
- Dimensions: 1,950 x 650 x 650 mm
- Max. load: 225 kg

**Examination couch**

**Art.-no. 111419**

Model as described

**Examination couch**

**Art.-no. 111519**

Model as described but with upholstery height: 70 mm

**Mobile examination couch**

**Art.-no. 111519F**

Model as described, but with:

- Upholstery height: 70 mm
- Longitudinal and transversal bracing
- 4 steering castors ø 100 mm, 2 of them lockable, 1 of them direction-adjustable, 1 of them free-wheeling
- 4 wall guards

**Examination couch made of stainless steel**

**Art.-no. 171519**

Model as described

**Mobile examination couch made of stainless steel**

**Art.-no. 171519F**

Model as described, but with:

- Longitudinal and transversal bracing
- 4 steering castors ø 100 mm, 2 of them lockable, 1 of them direction-adjustable, 1 of them free-wheeling
- 4 wall guards



**Basic configuration: Mobile stools standard**

- Polished five-armed aluminium base
- Gas spring supported height adjustment from 420 to 550 mm
- Five double castors with interval braking  $\varnothing$  50 mm
- Upholstery: Artificial leather covered foam according to colour chart
- Seat:  $\varnothing$  360 mm, h = 60 mm
- Base:  $\varnothing$  600 mm



**Basic configuration: Mobile stools with back rest**

- Incl. height adjustable back rest
- Polished five-armed aluminium base
- Gas spring supported height adjustment from 420 to 550 mm via release lever under seat
- Five double castors with interval braking  $\varnothing$  50 mm
- Upholstery: Artificial leather covered foam according to colour chart
- Seat:  $\varnothing$  360 mm, h = 60 mm
- Base:  $\varnothing$  600 mm

**Mobile stool**

**Art.-no. 206020**

Model as described, height adjustment via release lever under seat

**Mobile stool**

**Art.-no. 206030**

Same as 206020, but with height adjustment from 510 to 690 mm

**Mobile stool with saddle seat**

**Art.-no. 206040**

Same as 206020, but with saddle seat  $\varnothing$  400 mm

**Mobile stool with saddle seat**

**Art.-no. 206050**

Same as 206040, but with height adjustment from 510 to 690 mm

**Mobile stool with foot release**

**Art.-no. 206060**

Model as described, height adjustment from 435 to 565 mm via foot release under base, with double castors with  $\varnothing$  65 mm

**Mobile stool with foot release**

**Art.-no. 206070**

Same as 206060, but with height adjustment from 525 to 705 mm

**Mobile stool with back rest**

**Art.-no. 206024**

Model as described

**Mobile stool with back rest**

**Art.-no. 206034**

Same as 206024, but with height adjustment from 510 to 690 mm

**Mobile stool with back rest and base ring**

**Art.-no. 206035**

Model as described, but with base ring and height adjustment from 510 to 690 mm

**Electric conductivity**

**Art.-no. 206012**

Surcharge for electrically conductive castors and covering for stool models 206020, 206030, 206060 & 206070

**Electric conductivity**

**Art.-no. 206013**

Surcharge for electrically conductive castors and covering for stool models 206024, 206034 & 206035

**Electric conductivity**

**Art.-no. 206014**


Surcharge for electrically conductive castors and covering for stool models 206040 & 206050



# Upholstery colours

## For examination couches and mobile stools

- Ergonomic implementation of upholstery parts
- Rounded rough edges
- High quality artificial leather
- Seamlessly manufactured
- Optimal possibilities to clean and to disinfect
- Various colourings without any extra charge



# Further products for the OR

## RooSy. The modular Room System of medifa.

The prefabricated modular room system from medifa is specially designed for the high demands in the operating room.

The perfectly coordinated wall, door and ceiling system guarantees the highest standards with maximum flexibility. medifa undertakes the complete planning, production and installation in-house and sees itself as a complete supplier of turnkey operating theatres.



Learn more:



# Further products for the OR

## Mobile operating tables of medifa.

Functionality and comfort for more efficiency in the operating room.

The mobile operating tables from medifa enable optimal, simple and safe patient positioning in the operating theatre.

The operating tables are suitable for all surgical disciplines, requirements and applications in clinics, hospitals and outpatient operating centres.



Learn more:



# medifa

The medifa healthcare group unites competence concerning operating rooms under one roof.

medifa is an owner-run and internationally active complete solution provider in the medical technology.

The product and service portfolio covers all operating room requirements from modular wall, door, ceiling and cabinet systems (RooSy® Room Systems) for the turnkey operating room, as well as operating tables with accessories, operating lights right up to special construction solutions and medical furniture. In addition, one of

the largest German OEM suppliers in the medical technology sector also belongs to medifa.

medifa GmbH & Co. KG (Finnentrop), medifa hygienic rooms GmbH (Ötigheim) and medifa metall und medizintechnik GmbH in Rastatt are all part of this group of companies. The medifa healthcare group employs approximately 350 employees at three locations within Germany. The planning, engineering and production take place exclusively in Germany,


and with over 80% added value in the group of companies, the group guarantees fast reaction times.

The slogan “we care” means for us that we consistently orientate ourselves according to the requirements of our customers. Customers all over the world can rely on top-class consultation, processing and quality from a single source, made in Germany according to certified national and international quality standards.

## Products

- Modular operating room systems (RooSy)
- Operating lights (H!Light)
- Mobile carbon tables for minimally invasive applications
- Operating tables and accessories
- Examination and treatment chairs
- Medical furniture and trolleys
- Customized medical solutions

## medifa worldwide



we care.



Version 01-21-EN

Subject to modifications due to technical development.  
This document is intended to provide information to an  
international audience outside of the US.

[www.medifa.com](http://www.medifa.com)

we care. Code



**medifa GmbH & Co. KG**

Industriestraße 5  
57413 Finnentrop

Germany

fon +49 2721 71 77 -0

fax +49 2721 71 77 -255

[info@medifa.com](mailto:info@medifa.com)

we care.