

# assistPro



assistPro F Item No.: 2400 0005  
 assistPro H Item No.: 2400 0009

The perfect assistant's chair for your OR.

## Chassis

- High-grade 5-arm aluminum pedestal
- Excellent handling characteristics thanks to smooth-running double castors
- Optionally available with braking double castors
- Supports loads up to 130 kilograms



## Technical specifications

### Lifting column

- Height adjustment *assistPro F* 530–730 mm
- assistPro H* 520–720 mm

### Chassis

- Five legged chassis  $\varnothing$  585 mm
- Castors  $\varnothing$  65 mm

### Comfort seat

- D x W x H (incl. back part) 385 x 425 x 540 mm
- Seat angle adjustment  $-5^{\circ}/+5^{\circ}$
- Back angle adjustment  $-25^{\circ}/+5^{\circ}$

### Weight

- assistPro F* 12 kg
- assistPro H* 11 kg

### Max. load

130 kg

Subject to technical modifications.

## Seating system




### Comfort Seat

- Ergonomically shaped seat and backrest with lumbar support
- Support for correct, back-friendly sitting posture and reduction of tension caused by prolonged sitting
- Durable, easy-care seat cover made of medical-grade artificial leather to meet the highest OR requirements
- Optionally available with electrically conductive upholstery



## Flexibility

### Variants



- Sterile, comfortable height adjustment via foottriggered gas pressure spring (*assistPro F*)
- Classic seat height adjustment via manual trigger underneath the seat (*assistPro H*)
- Flexible height adjustment from 53 to 73 cm (*assistPro F*) and 52 to 72 cm (*assistPro H*)
- Optionally available with arm supports (*assistPro F*)

### Standard color

black

Item No.: 3037 0235



„PeriLine“ on page 99

### Comfort

# Components



*assistTrend*  
Item No.: 2500 0002



*assistPro F*  
Item No.: 2400 0005



*assistPro H*  
Item No.: 2400 0009



*assistTrend*  
Armrest pair  
incl. traverse

Item No.: 3300 0000



*assistPro F*  
Armrest pair  
incl. traverse

Item No.: 3351 0038



*easyPro F*  
Item No.: 2400 0010



*easyPro R*  
Item No.: 2400 0013



Double rimmed castor,  
65 mm, with braking function

Item No.: 3351 0040

Color card  
**PeriLine**



**Product Specification**

- Without Phthalates
- Biocompatibility: cytotoxicity (EN ISO 10 993-5) and epicutaneous test (EN ISO 10 993-10)
- Urine resistance
- Blood resistance
- Resistance to perspiration
- Resistance to spitting
- Light fastness
- Color fastness to rubbing
- Flame retardant

<i>surgiForce</i>	Comfort seat	2600 0004
<i>surgiForce light</i>	Comfort seat	2600 0006
<i>surgiTrend</i>	Comfort seat	2200 0012
<i>surgiLine</i>	Comfort seat	2200 0013
<i>assistPro F</i>		2400 0005
<i>assistPro H</i>		2400 0009
<i>easyPro F</i>		2400 0010
<i>easyPro R</i>		2400 0013
<i>easyLine F</i>		2400 0020
<i>easyLine R</i>		2400 0022

+ Item No.: 3037 0...

kastanie 015817 Item No.: .....240	light brown 016037 Item No.: .....239	creme 015812 Item No.: .....225	weiß 010881 Item No.: .....224	stein 015813 Item No.: .....236
saphir 015814 Item No.: .....231	delft 010766 Item No.: .....241	antistatisch schwarz Item No.: .....223	schwarz 011499 Item No.: .....235	anthracit 016046 Item No.: .....234
azur 015815 Item No.: .....230	aubergine 016041 Item No.: .....229	lavendel 016042 Item No.: .....228	rot 010878 Item No.: .....238	orange 016040 Item No.: .....237
kiwi 015816 Item No.: .....232	lime green 016043 Item No.: .....232	lemon 016039 Item No.: .....226	safran 010879 Item No.: .....227	

The colors displayed on your device may differ slightly from the original colors. If you wish to receive original color charts, please contact us at [info@ufsk-osys.com](mailto:info@ufsk-osys.com).

# Upgrade your OR to perfection.



*eyeForce*



*500 XLE*



*500 XLE comfort*



*500 XLS*



*500 ECO*



*400 XL*



*motionLine*



*motionLine-E*



*surgiForce*



*surgiForce light*



*surgiTrend*



*surgiLine*



*stayClean*



*stayClean roll*



*stayClean kick bucket*



*stayClean collector*



*assistTrend*



*assistPro F*



*assistPro H*



*easyPro F*



*easyPro R*



*easyLine F*



*easyLine R*



*assistLine*



*supportLine*

## CONTACT US



**UFSK**  
INTERNATIONAL

**OSYS**

UFSK-International OSYS GmbH  
Kirchhoffstraße 1  
93055 Regensburg  
Germany

Tel. +49 (0) 941 78862 15  
Fax +49 (0) 941 78862 35  
E-Mail [info@ufsk-osys.com](mailto:info@ufsk-osys.com)  
Web [ufsk-osys.com](http://ufsk-osys.com)

**MADE IN GERMANY**  
Design | Construction | Manufacturing